



Metal Valves

Full Bore Ball Valve



Code	BSP Female	Pressure ATM	Length mm
W290012	0.5"	30	59
W291019	0.75"	30	67
W291025	1"	30	82
W291032	1.25"	25	94
W291040	1.5"	25	103
W291050	2"	20	123

Butterfly Valve



Code	BSP Female	Pressure ATM	Length mm
W292012	0.5"	16	49
W292019	0.75"	16	56
W292025	1"	16	64
W292032	1.25"	16	76
W292040	1.5"	16	82
W292050	2"	16	93

Mini Ball Valve



Code	BSP Female	Pressure ATM
W299006	0.25"	10
W299012	0.5"	10
W299019	0.75"	10



Code	BSP Female	Pressure ATM
W299506	0.25"	10
W299512	0.5"	10
W299519	0.75"	10

Gate Valves (Heavy Model)



Code	BSP Female
W280012	0.5"
W280019	0.75"
W280025	1"
W280032	1.25"
W280040	1.5"
W280050	2"

Max. Pressure: 20 ATM
1/4" - 4": 300 PSI

Gate Valves (Light Model)



Code	BSP Female
W285012	0.5"
W285019	0.75"
W285025	1"
W285032	1.25"
W285040	1.5"
W285050	2"

Max. Pressure: 10 ATM
1/4" - 4": 150 PSI

Hose Pour Tap



Code	BSP Male
W286012	0.5"
W286019	0.75"
W286025	1"

Max. Pressure: 0.5" - 0.75" 15 ATM
Max. Pressure: 1" 12 ATM

Anti Pollution Valves

Prevention of siphonage or backflow.

Pipe Interrupter



Code	BSP Male
W28A2512	0.5"
W28A2519	0.75"

RPZ Anti Pollution Valve



Code	BSP Male
W28A5512	0.5"
W28A5519	0.75"
W28A5525	1"



SPECIAL DISCOUNT PRICES AVAILABLE FOR KITS OR BULK ORDERS.
IF THE SIZE OR PRICE YOU REQUIRE IS NOT LISTED ABOVE,
PLEASE CONTACT OUR SALES OFFICE FOR A QUOTATION.



Plastic Valves

Plastic In Line Valves



Code	Diam. mm	Diam. mm
W180012	12	12
W180016	16	16
W180020	20	20
W180025	25	25



Code	BSP Male	BSP Male
W182012	0.5"	0.5"
W182020	0.75"	0.75"



Code	Diam. mm	BSP Male
W181012	12	0.5"
W181016	16	0.5"
W181116	16	0.75"
W181120	20	0.75"
W181125	25	0.75"



Code	BSP Female	BSP Female
W183012	0.5"	0.5"

Miscellaneous Valves

3 Way Valve



Code	Hose size - Normal I.D.
W301512	0.5"
W301519	0.75"
W301525	1"

Pour type



Code	BSP Male	Diam. Inch
W302012	0.5"	0.5"
W302019	0.75"	0.75"
W302022	0.75"	0.75"

Miscellaneous Valves

PVC Barbed Non Return valve



Code	Pipe size O.D.	Nominal I.D.
W375016	16	0.5"
W375020	20	5/8"
W375025	25	0.75"

Flushing valve



Code	Pipe size O.D.	Nominal I.D.
W374012	12	3/8"
W374016	16	0.5"
W374020	20	5/8"
W374025	25	0.75"



Code	BSP Male
W374030	0.5"

3/4" BALL VALVE



Code	Inlet BSP	Outlet BSP
W370901	0.75" F	0.75" M

Quick Coupling valve



Code	Description
W303900	Coupling Valve only
W303905	Coupler
W303910	Complete Unit

Water Butt Tap



Code	Inlet BSP	Outlet mm
W301010	0.75" M	13



SPECIAL DISCOUNT PRICES AVAILABLE FOR KITS OR BULK ORDERS.
IF THE SIZE OR PRICE YOU REQUIRE IS NOT LISTED ABOVE,
PLEASE CONTACT OUR SALES OFFICE FOR A QUOTATION.



Plastic Ball Valves

All valves are recommended for water use only

SPECIFICATIONS: Body - Grey uPVC
 Handle - Orange uPVC
 'O' Ring - EPDM
 Ball Seat - PTFE
 Max. Temperature - 50 Deg C

PVC Single Union (Metric)



Code	Diam. Mm	Pressure in
W250220	20	16
W250225	25	16
W250232	32	16
W250240	40	16
W250250	50	16
W250263	63	16

PVC Single Union (Metric)



Code	Diam. Inch	Pressure
W255020	0.5"	16
W255025	0.75"	16
W255032	1"	16
W255040	1.25"	16
W255050	1.5"	16
W255063	2"	16

PVC Single Union Threaded



Code	Diam. BSP F	Pressure in Bar
W250512	0.5"	16
W250519	0.75"	16
W250525	1"	16
W250532	1.25"	16
W250540	1.5"	16
W250550	2"	16

PVC Check Valve



Code	Diam. Mm Plain	Pressure in Bar
W261232	32	16
W261240	40	16
W261250	50	16
W261263	63	16

PVC Double Union (Metric)



Code	Diam. Mm	Pressure in
W255220	20	16
W255225	25	16
W255232	32	16
W255240	40	16
W255250	50	16
W255263	63	16

PVC Butterfly Valve



Code	Diam. Mm Plain	Pressure in Bar
W263075	75	10
W263090	90	10
W2630110	110	10

PVC Double Union Threaded



Code	Diam. BSP "F"	Pressure in Bar
W255512	0.5"	16
W255519	0.75"	16
W255525	1"	16
W255532	1.25"	16
W255540	1.5"	16
W255550	2"	16

Mounting Kits



Code	Diam. Mm Plain	Pressure in Bar
W263575	75	10
W263590	90	10
W2635110	110	10

Inc flanges, flange adaptor & Fasteners

Ball and Butterfly valves can be supplied with Pneumatic or electric actuators.



SPECIALDISCOUNT PRICES AVAILABLE FOR KITS OR BULK ORDERS.
IF THE SIZE OR PRICE YOU REQUIRE IS NOT LISTED ABOVE,
PLEASE CONTACT OUR SALES OFFICE FOR A QUOTATION.



Solenoid Valves

Globe valve



Code	BSP Female	Voltage
W321900	0.75"	w/o coil
W321912DC	0.75"	12V DC
W321924OA	0.75"	240V AC
W321924AC	0.75"	24V AC
W321924DC	0.75"	24V DC
W322500	1"	w/o coil
W322512DC	1"	12V DC
W322524OA	1"	240V AC
W322524AC	1"	24V AC
W322524DC	1"	24V DC



Code	BSP Female	Voltage
W324000	1.5"	w/o coil
W324024OA	1.5"	240V AC
W324024AC	1.5"	24V AC
W324024DC	1.5"	24V DC
W325000	2"	w/o coil
W325024OA	2"	240V AC
W325024AC	2"	24V AC
W325024DC	2"	24V DC

Pressure Regulators

Code	BSP Female
W327400	1.5"
W327500	2"



Pressure Regulating Solenoid valves



Code	BSP Female	Voltage
W329424AC	1.5"	24V AC
W329524AC	2"	24V AC

Pressure Sustaining Solenoid valves



Code	BSP Female	Voltage
W329024AC	1.5"	24V AC
W329124AC	2"	24V AC

Normally Open Solenoid valves



Code	BSP Female	Voltage
W326424AC	1.5"	24V AC
W326524AC	2"	24V AC



**SPECIAL DISCOUNT PRICES AVAILABLE FOR KITS OR BULK ORDERS.
IF THE SIZE OR PRICE YOU REQUIRE IS NOT LISTED ABOVE,
PLEASE CONTACT OUR SALES OFFICE FOR A QUOTATION.**



Solenoid Valves

Coil Only



Code	Voltage	Colour
W3312AC	12 Volt AC	Black
W3312DC	12 Volt DC	Blue
W3324AC	24 Volt AC	Red
W3324DC	24 Volt DC	Black
W3312OA	120 Volt AC	Red
W3324OA	240 Volt AC	Orange



Code	Voltage	Colour
W33324AC	24 Volt AC 3 Way	Orange/Blue
W33324DC	24 Volt DC 3 Way	Black



Code	Voltage	Colour
W338250	6-40 Volt DC 2 wire - latching	Red/Black



Code	BSP Female	Colour
W338550	1.5"	Black
W338555	2"	Black

Cable Ties



Code	Voltage
W31C16048	160mm - 6"
W31C20048	200mm - 8"
W31C30048	300mm - 12"
W31C58048	580mm - 23"



SPECIAL DISCOUNT PRICES AVAILABLE FOR KITS OR BULK ORDERS.
IF THE SIZE OR PRICE YOU REQUIRE IS NOT LISTED ABOVE,
PLEASE CONTACT OUR SALES OFFICE FOR A QUOTATION.